



OCL datatypes are bolded and under each OCL type is listed the schema data types which are mapped to this OCL type.

- **base64binary**
 - ? base64Binary
- **hexBinary**
 - ? hexBinary
- **datetime**
 - ? duration
 - ? dateTime
 - ? time
 - ? gYearMonth
 - ? gYear
 - ? gMonthDay
 - ? gDay
 - ? gMonth
- **double / decimal**
 - ? double
 - ? decimal
 - ? float
- **date**
 - ? date
- **integer**
 - ? integer
 - ? nonPositiveInteger
 - ? negativeInteger
 - ? long
 - ? int
 - ? short
 - ? byte
 - ? nonNegativeInteger
 - ? unsignedLong
 - ? unsignedInt
 - ? unsignedShort
 - ? unsignedByte
 - ? positiveInteger
- **string**
 - ? string
 - ? normalizedString
 - ? token
 - ? language
 - ? Name
 - ? NCName
 - ? ID
 - ? IDREF
 - ? IDREFS
 - ? ENTITY

- ? ENTITIES
- ? NMTOKEN
- ? NMTOKENSE
- ? QName
- ? NOTATION
- ? anyURI
- **boolean**
 - ? boolean

Collection types in OCL

- Collection
- Bag
- Set
- OrderedSet
- Sequence